

Superway Nutgrass Killer Selective Herbicide

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Superway Nutgrass Killer Selective Herbicide

Other means of identification: Halosulfuron-methyl water dispersible granule; sulfonylurea

herbicide

Recommended use of the For the control of various weeds of turf and agricultural

chemical and restrictions on use: situations as specified on the product label

Supplier: Pooma Fertilisers Pty Ltd

(Trading as Superway)

ACN: 625 414 164

Street Address: 21 RADIUS DRIVE LARAPINTA QLD 4110

Telephone No: + 61-7-3276 0559

Email: <u>info@superway.com.au</u>

2. HAZARDS IDENTIFICATION

Classification of the substance mixture:

This material is Hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Eye Damage/Irritation - Category 1

The following health hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Aquatic Toxicity - Category 1 Chronic Aquatic Toxicity - Category 1

SIGNAL WORD: DANGER



Hazard Statement(s):

H318 Causes serious eye damage

Precautionary Statement(s):

Prevention:

P280 Wear protective gloves and eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.

Storage: No storage statements. **Disposal:** No disposal statements.



Superway Nutgrass Killer Selective Herbicide

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion (w/w)
Mixture of alkylnaphthalene	Proprietary ingredient	< 10%
sulfonate, sodium salt and		
sodium dioctyl sulphosuccinate		
Other components are not considered hazardous in this formulation and therefore are not required to be		
disclosed according to the WHS Regulations. Following is the information for the active constituent which is not		
classified as hazardous in this formulation.		
Halosulfuron-methyl	100784-20-1	75%

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation: Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated

clothing and loosen remaining clothing. Allow patient to assume most comfortable position

and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with

soap and water. If irritation occurs seek medical advice.

Eye Contact: If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue

flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15

minutes.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek

medical advice.

First Aid Facilities: Eyewash and normal washroom facilities. **Indication of immediate medical** Treat symptomatically.

attention and special treatment needed:

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Normal foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards arising from the

substance or mixture:

Non- combustible material.

Special protective equipment and precautions for fire-fighters:

Fire fighters should wear self-contained breathing apparatus and suitable protective clothing to prevent risk of exposure to products of

decomposition.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/
Environmental precautions:
Personal precautions/ Protective

waterways has occurred advise local emergency services.

Personal precautions/ Protective equipment:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in

Clear area of all unprotected personnel. If contamination of sewers or

vapours. Work up wind or increase ventilation.

Methods and materials for containment and cleaning up:

Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled

sailu of other mert material). Conect and sear in prope

containers or drums for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep containers closed at all times - check regularly for leaks or spills.

Transport and store upright. Avoid skin and eye contact. Keep out of reach of children. Do not eat, drink or smoke in contaminated areas. Always remove contaminated clothing and wash hands before eating, drinking, smoking or



Superway Nutgrass Killer Selective Herbicide

using the toilet. Wash contaminated clothing and other protective equipment

before storage or re-use.

Conditions for safe storage, Store in the original container, in a cool dry well-ventilated area out of direct **including any incompatibilities:** sunlight. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia. **Appropriate engineering** Use in well ventilated areas. Keep containers closed when not in use.

controls:

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Observe good standards of hygiene and cleanliness. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

Respiratory Protection: A respirator is not needed under normal and intended conditions of product use

however if ventilation is not adequate then a respirator meeting the requirements of

AS/NZS 1715 and AS/NZS 1716.

Eye and Face protection: Safety glasses/goggles with side shield protection should be worn as a general

precaution. Consult AS/NZS 1336 and AS/NZS 1337 for further information.

Skin Protection: PVC or nitrile rubber gloves should be worn as a general precaution. Always check

with the glove manufacturer or your personal protective equipment supplier regarding the correct type of glove to use. Consult AS/NZS 2161 for further

information.

Trousers, long sleeved shirt or overalls and closed in shoes or safety footwear should be worn as a general precaution. Consult AS/NZS 2210 and AS/NZS 2919 for further

information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Granules
Colour: Beige

Odour: Scorched vanilla

pH: 7.5-8.5 (1% w/v dilution)

Specific Gravity: No information available.

Melting Point/Freezing Point: No information available.

Boiling Point/range: No information available.

Flash Point: No information available.

Evaporation Point: No information available.

Vapour Pressure: 3.50x102 mPa @ 25°C (Halosulfuron-methyl)

Vapour Density: No information available.

Solubility: 10.2 mg/L (Halosulfuron-methyl)

Superway Halosulfuron-methyl 750WG Herbicide is a dispersion in

water.

Partition coefficient: n- octanol/water 9.55x

9.55x10-1 (Halosulfuron-methyl)

Auto-ignition Temperature:

No data available. Halosulfuron-methyl is not highly flammable

Decomposition Temperature:No information available. **Viscosity:**No information available.

10. STABILITY AND REACTIVITY

Reactivity: Non-reactive under normal conditions.

Chemical stability: Stable under normal ambient and anticipated storage and handling

conditions of temperature and pressure.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will

not occur.



Superway Nutgrass Killer Selective Herbicide

Conditions to avoid: None known. Incompatible materials: None known.

Hazardous decomposition products: Oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: 5561 mg/kg (rat, calculated from ingredients) Category 5

>2000 mg/kg (rabbit, calculated from ingredients) Category 5 No data for the product. Halosulfuron-methyl is low in toxicity by inhalation as a spray mist. The 4-hour LC50 is >6.0 mg/L in rats

Ingestion: Amounts swallowed incidental to normal handling procedures and use are

not expected to cause injury.

Inhalation: Halosulfuron-methyl has sufficiently low vapour pressure so that

Halosulfuron-methyl does not readily volatilize. Use as per label instructions (low pressure spray) is unlikely to result in significant inhalation exposure. Breathing in very high concentrations of spray mist through use of this

product may cause respiratory irritation.

Skin: The product is not considered a skin irritant.

Eye: Product will irritate the eyes.

Respiratory or skin sensitisation: Not a skin sensitiser and not expected to be a respiratory sensitiser.

Germ cell mutagenicity:

Carcinogenicity:

Not considered to be a mutagenic hazard.

Not considered to be a carcinogenic.

Reproductive toxicity:

Not considered to be toxic to reproduction.

STOT-single exposure: Not expected to cause toxicity to a specific target organ. STOT-repeated exposure: Not expected to cause toxicity to a specific target organ.

Aspiration hazard: Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Avoid contaminating waterways. Avoid contaminating waterways. Do not

discharge product into the environment without control. **Information on Halosulfuron-methyl active constituent**

Fish: Highly toxic to fish

LC50 (96 h) >131 mg/L, Oncorhynchus mykiss NOEC (21 d) 34 mg/l, Colinus virginianus

Aquatic invertebrates: EC50 (48 h) >1.07 mg/l, Daphnia magna NOEC (21 d) >6.9 mg/l, Daphnia magna

EC50 (96 h) 72.0 mg/L Mysid shrimp (Americamysis bahia)

NOEC (28 d) 5.0 mg/kg sediment Chironomus riparius

Aquatic plants: EC50 (7 day) 0.0002 mg/l (biomass), Lemna gibba

EC50 (72 h) 0.0053 mg/l (growth), Pseudokirchneriella subcapitata Acute oral LD50 >2250 mg/kg Colinus virginianus (bobwhite quail)

Birds: Acute oral LD50 >2250 mg/kg Colinus virginianus (bobwhite quail)

Short-term dietary LC50 >5620 mg/kg Colinus virginianus (bobwhite quail)

Terrestrial insects: Aphidius rhopalosiphi LR50 300 g/ha (moderate)

Typhlodromus pyri LR50 300 g/ha (moderate)

Persistence/degradability: Half-life of Halosulfuron-methyl is 14-119 days in aerobic soils (non-

persistent).

No evidence of volatility.

Halosulfuron-methyl is stable to hydrolysis at pH 7 and is not pH sensitive. Halosulfuron-methyl bioaccumulation potential is considered to be low.

Bioaccumulative potential:

Slightly to moderately mobile

Mobility in Soil:

Siigntly to moderately mobile

Koc = 109 (Linear) Kd = 1.67 (Linear) Kf = 1.51 (Freundlich)



Superway Nutgrass Killer Selective Herbicide

13. DISPOSAL CONSIDERATIONS

Disposal methods: On site disposal of the concentrated product is not acceptable. Refer to

Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations.

Normally suitable for incineration by an approved agent.

14. TRANSPORT INFORMATION

Road and According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other

Rail receptacle not exceeding 500kg or 500 L are not subject to the ADG Code.

Transport: If transported above these limits, then it is classified as Dangerous Goods by the criteria of the

Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail;

DANGEROUS GOODS

UN Number: 3077

Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (contains Halosulfuron-methyl)

Transport Hazard Class: 9
Packaging Group: III
Hazchem Code: 2Z

Marine Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods

Transport: Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN Number: 3077

Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (contains Halosulfuron-methyl)

Transport Hazard Class:

Packaging Group: Not assigned.

IMDG EMS Fire: F - A
IMDG EMS Spill: S - F

Air Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA)

Transport: Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN Number: 30772

Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (contains Halosulfuron-methyl)

Transport Hazard Class: 9

Packaging Group: Not assigned.

15. REGULATORY INFORMATION

Poison Schedule (SUSMP): 5 - CAUTION **APVMA Approval No:** 68688

AICS: All the constituents of this material are either listed on the Australian

Inventory of Chemical Substances (AICS), not required due to the nature of

the chemical, or have been assessed under the National Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

16. OTHER INFORMATION

General Information: None
Issue Number: 002
Issue Date: June, 2024

In any event, the review and, if necessary, the re-issue of an SDS shall be no longer than 5 years after the last date

of issue.

Reason(s) for Issue: Second Issue.

Revised Primary SDS and updated to GHS requirements



Superway Nutgrass Killer Selective Herbicide

Literary Reference:

Key abbreviations or acronyms used:

ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS - Australian Inventory of Chemical Substances

AgVet Code Act 1994 - Agricultural and Veterinary Chemicals Code Act 1994

APVMA - Agricultural Pesticides and Veterinary Medicines Australia GHS - Globally Harmonised System of Classification and Labelling of Chemicals (3rd revised edition) 2009

IARC - International Agency for Research on Cancer

LD₅₀ or LC₅₀ - Estimated lethal dose / concentration to kill 50% of the population/sample.

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (December 2016)

STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15 minute period. The STEL should not be exceeded at any time during a normal eight hour working day.

STOT - Specific Target Organ Toxicity

SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

SWA - Safe Work Australia, formerly ASCC and NOHSC

TGA - Therapeutic Goods Australia WHS - Workplace Health and Safety

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the manufacturer be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the manufacturer has been advised of the possibility of such damages.

END OF SDS